



## 1. Identification

BWT 190M
BWT 190M
Liquid Oxygen Scavenger
For Industrial Use Only
r/Distributor information
Summit Water Treatment, Inc.
7127 Homestead Road
Suite F
Ft. Wayne, IN 46814
United States
1-877-672-5780
Not available.
1-800-424-9300

## 2. Hazard(s) identification

Not classified.		
Serious eye damage/eye irritation	Category 2B	
Not classified.		
Not classified.		
None.		
Warning		
Causes eye irritation.		
Wash thoroughly after handling.		
If swallowed: Rinse mouth. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.		
Store away from incompatible materials.		
Dispose of waste and residues in accordance with local authority requirements.		
None known.		
None.		
	Serious eye damage/eye irritation Not classified. Not classified. None. Warning Causes eye irritation. Wash thoroughly after handling. If swallowed: Rinse mouth. Do NOT induce verseveral minutes. Remove contact lenses, if per or concerned: Get medical advice/attention. It Store away from incompatible materials. Dispose of waste and residues in accordance None known.	

## 3. Composition/information on ingredients

#### Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

Chemical name	Common name and synonyms	CAS number	%
Sodium sulfite		7757-83-7	< 30
Other components below reportable levels > 60			> 60
4. First-aid measur	es		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Not applicable, non-combustible. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not applicable.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal

#### 7. Handling and storage

**Environmental precautions** 

Methods and materials for containment and cleaning up

0 0	
Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

and place into containers. Following product recovery, flush area with water.

protection, see section 8 of the SDS. This product is miscible in water.

remove residual contamination.

#### 8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	

Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state     Liquid.       Form     Liquid.       Golor     Biown.       dor     Shown.       dor     Shown.       dortmeshold     Not available.       leling point and bolling.     > 240 °F (> 115.56 °C)       shown.     Not available.       vaporation ration ratio     Not available.       shown.     Not available.       rgmmability (solid, gas)     Not available.       pre/lower flammability orev:>ve limis     Not available.       fammability limit - lower     Not available.       f(%)     Not available.       fammability limit - upper (%)     Not available.       pre forsve limit - lower (%)     Not available.       fammability limit - upper (%)     Not available.       pre forsity     Not available.		
FormLiquid.ColorBrown.dorSharp Pungent.dor thresholdNot available.H6.5 estimatedlelting point/freezing pointNot available.ittal boiling point and boiling orge>240 °F (> 115.56 °C)ash pointNot available.vaporation rateNot available.vaporation rateNot available.pper/lower flammability (solid, gas)Not available.flammability limit - lowerNot available.(%)Not available.flammability limit - lowerNot available.(%)Not available.flammability limit - upper (%)Not available.explosive limit - upper (%)Not available.apor pressureNot available.apor densityNot available.outubility(les)Solubility (water)solubility (water)Complete.artition coefficientNot available.u-to-ignition temperatureNot available.socosityNot available.terrintorNot available.terrintorNot available.socosityNot a	Appearance	
ColorBrown.dorSharp Pungent.dor thresholdNot available.H6.5 estimatedlefting point/freezing point>240 °F (> 115.56 °C)unger>240 °F (> 115.56 °C)ungerNot available.vaporation rateNot available.vaporation rateNot available.sahp onintNot available.rammability (solid, gas)Not available.per/lower flammability or expl<>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	Physical state	Liquid.
Sharp Pungent.       dor threshold     Not available.       H     6.5 estimated       leling point/freezing point     Not available.       itial boiling point and boiling	Form	Liquid.
dor threshold     Not available.       H     6.5 estimated       belting point/freezing point     Not available.       belting point and bolling onge     > 240 °F (> 115.56 °C)       tash point     Not available.       vaporation rate     Not available.       point     Not available.       vaporation rate     Not available.       per/lower flammability or expusive limits     Not available.       flammability limit - lower (%)     Not available.       flammability limit - lower (%)     Not available.       flammability limit - upper (%)     Not available.       gr (%)     Not available.       gr (%)     Not available.       por density     Not available.       olubility (vater)     Not available.       olubility (vater)     Complete.       solubility (vater)     Complete.       ecomposition temperature ecomposition temperature persity     Not available.       olubility (vater)     Not available.       costing temperature ecomposition temperature persity     Not available.       persity     Not available.       persity     Not available. </th <th>Color</th> <th>Brown.</th>	Color	Brown.
H   6.5 estimated     istima point/freezing point   Not available.     istima   > 240 °F (> 115.56 °C)     istima   Not available.     vaporation rate   Not available.     vaporation rate   Not available.     istima   Not available.	Odor	Sharp Pungent.
itil g point/freezing point   Not available.     itil a boiling point and boiling	Odor threshold	Not available.
iiii boiling point and boiling > 240 °F (> 115.56 °C) ange lash point Not available. vaporation rate Not available. lammability (solid, gas) Not available. pper/lower flammability limit - lower Not available. (%) Flammability limit - lower Not available. (%) Flammability limit - lower (%) Not available. (%) Explosive limit - lower (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - lower (%) Not available. apor pressure Not available. elative density Not availabl	рН	6.5 estimated
inge lash point Not available. vaporation rate Not available. lammability (solid, gas) Not applicable. pper/lower flammability limit - lower (Not available. (%) Not available. Flammability limit - lower (N) Not available. (%) Not available. Explosive limit - lower (N) Not available. Explosive limit - lower (N) Not available. Explosive limit - lower (N) Not available. Availabl	Melting point/freezing point	Not available.
vary vary vary intermediation rateNot available.Not pper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.apor pressure solubility (water)Not available.Solubility (water)Complete.solubility (water)Not available.uto-ignition temperature uto-ignition temperatureNot available.wot available.Not available.iscosity bergiftic gravityNot available.Density solubilityNot available.iscosity bergiftic gravityNot available.Iter information bergiftic gravity10.27 lbs/galSolubility (mater) solubility12.3	Initial boiling point and boiling range	> 240 °F (> 115.56 °C)
Jammability (solid, gas)   Not applicable.     pper/lower flammability or explosive limits     Flammability limit - lower   Not available.     (%)   Not available.     Flammability limit - upper   Not available.     (%)   Not available.     Explosive limit - lower (%)   Not available.     Explosive limit - upper (%)   Not available.     apor pressure   Not available.     apor density   Not available.     elative density   Not available.     olubility(ies)   Solubility (water)     Solubility (water)   Complete.     artition coefficient   Not available.     i-octanol/water)   Ut available.     ecomposition temperature   Not available.     iscosity   Not available.     bensity   Not available.     iscosity   Not available.     isporition temperature   Not available.     isporition temperature   Not available.     pensity   10.27 lbs/gal     Specific gravity   1.23	Flash point	Not available.
pper/lower flammability or explosive limits     Flammability limit - lower   Not available.     (%)   Flammability limit - upper     Flammability limit - upper   Not available.     (%)   Explosive limit - lower (%)     Explosive limit - upper (%)   Not available.     apor pressure   Not available.     apor density   Not available.     elative density   Not available.     olubility(ies)   Solubility (water)     Solubility (water)   Complete.     artition coefficient   Not available.     ecomposition temperature   Not available.     ecomposition temperature   Not available.     iscosity   Not available.     ther information   Density     Density   10.27 lbs/gal     Specific gravity   1.23	Evaporation rate	Not available.
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.apor pressureNot available.apor densityNot available.elative densityNot available.olubility(ies)Complete.Solubility (water)Complete.artition coefficient n-octanol/water)Not available.iscosityNot available.becomposition temperature liscosityNot available.Density0.27 lbs/galSpecific gravity1.23	Flammability (solid, gas)	Not applicable.
(%)Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.apor pressureNot available.apor densityNot available.elative densityNot available.olubility(ies)Complete.Solubility (water)Complete.artition coefficientNot availabletoctanol/water)Not available.uto-ignition temperatureNot available.iscosityNot available.bensityNot available.Jonesity10.27 lbs/galSpecific gravity1.23	Upper/lower flammability or exp	losive limits
(%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.apor pressureNot available.apor densityNot available.elative densityNot available.olubility(ies)Complete.Solubility (water)Complete.artition coefficient t-octanol/water)Not available.uto-ignition temperature iscosityNot available.becomposition temperature ther informationNot available.Density Specific gravity10.27 lbs/galSpecific gravity1.23		Not available.
Explosive limit - upper (%)Not available.apor pressureNot available.apor densityNot available.elative densityNot available.olubility(ies)Complete.Solubility (water)Complete.artition coefficientNot availableoctanol/water)Not available.uto-ignition temperatureNot available.ecomposition temperatureNot available.iscosityNot available.ther informationI0.27 lbs/galDensity1.23		Not available.
apor pressure   Not available.     apor density   Not available.     elative density   Not available.     olubility(ies)   Solubility (water)     Solubility (water)   Complete.     artition coefficient   Not available.     i-octanol/water)   Not available.     uto-ignition temperature   Not available.     ecomposition temperature   Not available.     iscosity   Not available.     ther information   Density   10.27 lbs/gal     Specific gravity   1.23	Explosive limit - lower (%)	Not available.
apor densityNot available.apor densityNot available.elative densityNot available.olubility(ies)Complete.solubility (water)Complete.artition coefficientNot available.n-octanol/water)Not available.uto-ignition temperatureNot available.ecomposition temperatureNot available.iscosityNot available.ther informationIo.27 lbs/galpecific gravity1.23	Explosive limit - upper (%)	Not available.
elative density   Not available.     olubility(ies)   Solubility (water)     Solubility (water)   Complete.     artition coefficient   Not available.     n-octanol/water)   Not available.     uto-ignition temperature   Not available.     ecomposition temperature   Not available.     iscosity   Not available.     ther information   Not available.     Density   10.27 lbs/gal     Specific gravity   1.23	Vapor pressure	Not available.
olubility(ies)   Complete.     solubility (water)   Complete.     artition coefficient   Not available.     n-octanol/water)   Not available.     uto-ignition temperature   Not available.     ecomposition temperature   Not available.     iscosity   Not available.     ther information   Not available.     Density   10.27 lbs/gal     Specific gravity   1.23	Vapor density	Not available.
Solubility (water)Complete.artition coefficientNot available.n-octanol/water)Not available.uto-ignition temperatureNot available.ecomposition temperatureNot available.iscosityNot available.ther information10.27 lbs/galSpecific gravity1.23	Relative density	Not available.
artition coefficient Not available.   n-octanol/water) Not available.   uto-ignition temperature Not available.   ecomposition temperature Not available.   iscosity Not available.   ther information 10.27 lbs/gal   Specific gravity 1.23	Solubility(ies)	
n-octanol/water)   Not available.     uto-ignition temperature   Not available.     ecomposition temperature   Not available.     iscosity   Not available.     ther information   10.27 lbs/gal     Specific gravity   1.23	Solubility (water)	Complete.
ecomposition temperature Not available.   iscosity Not available.   ther information Intervention   Density 10.27 lbs/gal   Specific gravity 1.23	Partition coefficient (n-octanol/water)	Not available.
iscosity Not available. ther information Density 10.27 lbs/gal Specific gravity 1.23	Auto-ignition temperature	Not available.
ther information   Density 10.27 lbs/gal   Specific gravity 1.23	Decomposition temperature	Not available.
Density10.27 lbs/galSpecific gravity1.23	Viscosity	Not available.
Specific gravity 1.23	Other information	
	Density	10.27 lbs/gal
I0. Stability and reactivity	Specific gravity	1.23
	10. Stability and reactivity	

10. Stability and reactiv	rity
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

11. Toxicological information

11. I oxicological information	lion
Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.
Information on toxicological effe	ects
Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	1
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
	Evaluation of Carcinogenicity
Sodium sulfite (CAS 7757 OSHA Specifically Regulate	7-83-7) 3 Not classifiable as to carcinogenicity to humans. d Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	1
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal consideratio	ns
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

disposal company.

Disposal instructions).

Hazardous waste code

**Contaminated packaging** 

products

Waste from residues / unused

#### DOT

Not regulated as dangerous goods.

S federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA H	lazard Communication
	Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Subst	ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency relea	ase notification	
	ed Substances (29 CFR 1910.1001-1050)	
Not listed.		
	eauthorization Act of 1986 (SARA) Immediate Hazard - Yes	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazar Not listed.	dous substance	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
ther federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
S state regulations		
Not listed.	ubstances. CA Department of Justice (California Health and Safe	ty Code Section 11100)
US. Massachusetts RTK - S	Substance List	
•	d Community Right-to-Know Act	
Not listed. US. Pennsvlvania Worker a	and Community Right-to-Know Law	
Not listed.		
US. Rhode Island RTK		
Not regulated.		
US. California Proposition WARNING: This produc	65 t contains a chemical known to the State of California to cause cancer	:
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Ye
Canada	Domestic Substances List (DSL)	Ye
Canada	Non-Domestic Substances List (NDSL)	Ν
China	Inventory of Existing Chemical Substances in China (IECSC)	Ye

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	05-29-2015
Version #	01
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 1 Personal protection: H
Disclaimer	Seller cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.